



# onVisit Usersync for Employee data



```
<!-- UserDataSource Values: AD | tidbank | excel | csv | lenel | DISABLEALL -->  
<!-- Select DISABLEALL to disable all users. No other processing will be performed by this instance of user sync-->  
<!-- Set up another instance of user sync to perform a new sync after disabling (this setup supports sync sources without activation info) -->  
<add key="UserDataSource" value="[USERDATASOURCE]" />
```

# onVisit Usersync in AD/LDAP mode



## Attributes from AD:

Property: givenname

Property: sn

Property: mobile

Property: mail

Property: samaccountname

Property: telephoneNumber

Property: department or physicalDeliveryOfficeName

Property: useraccountcontrol

Property: thumbnailPhoto (Optional)


Property: userPrincipalName (If onVisit is in Azure AD SSO mode)

## Usersync LDAP Path and Filter:

```
<add key="ImportPath" value="LDAP://[DOMAIN]/ou=[OU],dc=[DC],dc=[DC]" />
```

```
<add key="ImportFilter" value="(&!(objectCategory=person)(objectClass=user))" />
```


# onVisit Usersync in CSV mode



First Name;Last Name;Domain;Login;Email;Mobile;Phone;Conference Address;Department;Parent CompanyID;ExternalId;Active;UserPrincipalName  
 Hans;Hansen;MittDomene;HansH;hansen@firma.no;12345678;;;Salg;1;hansh;1;hansen@firma.no  
 Gunnar;Gunnarsen;MittDomene;GunnarG;gunnersen@firma.no;87654321;;;Økonomi;1;gunnarg;0;gunnersen@firma.no

First Name	Last Name	Domain	Login	Email	Mobile	Phone	Conference Address	Department	Parent CompanyID	ExternalId	Active	UserPrincipalName
Hans	Hansen	MittDomene	HansH	<a href="mailto:hansen@firma.no">hansen@firma.no</a>	12345678			Salg	1	hansh	1	hansen@firma.no
Gunnar	Gunnarsen	MittDomene	GunnarG	<a href="mailto:gunnersen@firma.no">gunnersen@firma.no</a>	87654321			Økonomi	1	gunnarg	0	gunnersen@firma.no


## Employee pictures (Optional)



### Usersync CSV config parameters:

```
<add key="CSVEncoding" value="iso-8859-1" />
<add key="SynchronizationCSVFile" value="[CSV_FILEPATH]" />
<add key="CSVDelimiter" value=";" />
<add key="HasFieldsEnclosedInQuotes" value="true" />
<add key="TrimWhiteSpace" value="true" />
<add key="DryRun" value="false" />
```

# onVisit Usersync in Lenel mode



First Name,Last Name,Email,Login,Mobile,OrganizationNumber,Department,Active,Photo,UserID  
Hans,Hansen, hansen@firma.no,,12345678,988889245,,4,E:\OnVisit\Photo\HansHansen.jpg,3856  
Siri,Ulset, gunnersen@firma.no,,87654321,,1,E:\OnVisit\Photo\GunnarGunnarsen.jpg,4001

## Employee pictures (Optional)




✔ GunnarGunnarsen.jpg



✔ HansHansen.jpg

```
<!-- File contains path to user images. -->  
<add key="LenelFilePath" value="[LENEL_FILEPATH]" />  
<add key="LenelDelimiter" value="," />
```

# onVisit Usersync in Tidbank mode



<!-- Settings for importing users from tidbank. -->

```
<add key="TidbankEmployeeRegisterServicePath" value="[TIDBANK_URL]" />
```

```
<add key="TidbankSwapNameOrder" value="true" />
```

<!-- If importing from TidBank, please enter department from which to import users from -->

```
<add key="ImportFromCompanyId" value="1" />
```

# onVisit Usersync syncing Employee pictures

## User

First name *	<input type="text" value="Hans"/>
Last name *	<input type="text" value="Hansen"/>
Email	<input type="text" value="hansen@firma.no"/>
Mobile	<input type="text" value="+4712345678"/>
Phone	<input type="text"/>
Private phone	<input type="text"/>
Conference address	<input type="text"/>
Department	<input type="text"/>
Login name	<input type="text" value="hansen@firma.no"/>
Domain name	<input type="text" value="AZUREONVISIT"/>
Company *	<input type="text" value="Company"/> <input type="button" value="Select organization"/>
Active	<input checked="" type="checkbox"/>
Is VIP?	<input type="checkbox"/>
QuickSelect Recipient	<input type="checkbox"/>



Remove user image when saving

Image

### Azure account

User Principal Name (UPN)

Save

New

Back

```
<!-- syncSourceIncludeImages values: yes | no -->  
<add key="syncSourceIncludeImages" value="no" />  
<!-- ImageSource values: ad | folder | lenel -->  
<add key="ImageSource" value="lenel" />  
<!-- The folder path to the folder with employees images -->  
<add key="UserImagesPath" value="" />
```